**Application Source:** 

File Type: Delimited

File Group:

Reinsurance Year: 2011

**Record Name:** Land Other Person Sharing

Version: Approved

Record Code: P27A

**Release Date:** 6/30/2010

Record Number	Field Number	<u>Field Name</u>	<u>Data Type</u>	<u>Max</u> <u>Length</u>	<u>Format</u>	BUS Key Req?	<u>Rules</u>
P27A	1	AIP Code	Character	2		Υ	AIP Code must be valid; edit with the AIP ICE, "D00100".
P27A	2	Reinsurance Year	Numeric	4	CCYY	Υ	Reinsurance Year must be "2011".
P27A	3	Record Type Code	Character	6		Υ	Record Type Code must be "P27A".
P27A	4	AIP Policy Producer Key	Character	15		Υ	AIP Policy Producer Key must match the parent primary Policy Producer, "P10" record.
P27A	5	AIP Insurance In Force Key	Character	15		Υ	AIP Insurance In Force Key must be unique within the AIP Policy Producer Key.
P27A	6	AIP Land Key	Character	15		Y	AIP Land Key is the value used to identify each Land, "P27" record and must be unique within the Reinsurance Year and the AIP Acreage Key. (Note: For split land must report once for each AIP Acreage Key).
P27A	7	AIP Land Other Person Sharing Key	Character	15		Y	AIP Land Other Person Sharing Key is used to identify each Land Other Person Sharing, "P27A" record and must be unique within the Reinsurance Year and the parent Land, "P27" record.
P27A	8	Other Person Share Percent	Numeric	5	9.999		Other Person Share Percent is required and must equal the Insured Share Percent of the Other Person Sharing the land when the Landlord Tenant Flag on the Policy Producer Other Person, "P10B" record equals Yes, "Y".

**Application Source:** 

File Type: Delimited

File Group:

Reinsurance Year: 2011

**Record Name:** Land Other Person Sharing

Version: Approved

Record Code: P27A

**Release Date:** 6/30/2010

Record	Field			<u>Max</u>		<b>BUS</b>		
<u>Number</u>	Numbe	<u>r Field Name</u>	<u>Data Type</u>	<u>Length</u>	<u>Format</u>	<u>Key</u>	Req?	<u>Rules</u>
								Other Person Share Percent must equal the Insured Share Percent of the Other Person Sharing the land.
P27A	9	AIP Policy Producer Other Person Key	Character	15			Y	AIP Policy Producer Other Person Key must be populated and the remainder of this record must be empty when, the Landlord Tenant Flag on the Policy Producer Other Person sharing, "P10B" record equals Yes, "Y".
P27A	10	Business Name	Character	50				Business Name is required when Last Name is empty and the Landlord Tenant Flag on the Policy Producer Other Person, "P10B" record equals No, "N".
								Business Name must be empty when Last Name is populated and the Landlord Tenant Flag on the Policy Producer Other Person, "P10B" record equals Yes, "Y".
								Business Name can include the following special characters: (), (-), (,), (.), ('), (&), (%), (*), (+), (#), (/).
P27A	11	Last Name	Character	25				Last Name is required when Business Name is empty and the Landlord Tenant Flag on the Policy Producer Other Person, "P10B" record equals No, "N".

**Application Source:** File Type: Delimited File Group: Reinsurance Year: 2011 **Record Name:** Land Other Person Sharing Version: Approved **Release Date:** 6/30/2010 Record Code: P27A Record Field Number BUS Max Key Req? **Field Name** Data Type Length **Format Rules** Last Name must be a minimum of 2 characters in length and a maximum of 25 characters in length. Last Name can include the following special characters: (-), (.), (), ('), (,). Last Name must be empty when Business Name is populated and the Landlord Tenant Flag on the Policy Producer Other Person, "P10B" record equals Yes, "Y". First Name is required when Business Name is empty and the Landlord Tenant Flag on the Policy P27A 20 12 First Name Character Producer Other Person, "P10B" record equals No, "N". First Name can include the following special characters: (-), (.), ( ), ('), (,). First Name must be empty when Business Name is populated and the Landlord Tenant Flag on the Policy Producer Other Person, "P10B" record equals Yes, "Y". Middle Name can include the following special P27A 13 Middle Name 20 Character characters: (-), (.), (), ('), (,). Middle Name must be a minimum of 1 character in length and a maximum of 20 characters in length.

**Application Source:** 

File Type: Delimited

File Group:

**Reinsurance Year:** 2011

**Record Name:** Land Other Person Sharing

Version: Approved

Record Code: P27A

**Release Date:** 6/30/2010

Record   Number   Field Name   Data Type   Length   Format   Key   Req2   Rules										
Middle Name must be empty if Last Name is empty and the Landlord Tenant Flag on the Policy Producer Other Person, "P10B" record equals Yes "y".  P27A 14 Suffix Character 10 Suffix can include the following special characters (-), (-), (-), (-), (-).  P27A 15 Title Character 15 Title an include the following special characters: (-), (-), (-), (-), (-), (-), (-), (-),				Field Name	Data Too		Farment		D = 2	
empty and the Landlord Tenant Flag on the Policy Producer Other Person, "P10B" record equals Yes "Y".  P27A 14 Suffix Character 10 Suffix can include the following special characters (-), (.), (-), (-), (-), (-), (-), (-), (-), (-	Number	Õ	Number	<u>Field Name</u>	<u>Data Type</u>	<u>Lengtn</u>	<u>Format</u>	Key	<u>keq?</u>	
Producer Other Person, "P10B" record equals Yes "Y".  P27A 14 Suffix Character 10 Suffix can include the following special characters (-), (-), (-), (-), (-), (-).  Suffix must be empty if Last Name is empty.  Title can include the following special characters: (-), (-), (-), (-), (-), (-).  Title must be empty if Last Name is empty.  Title must be empty if Last Name is empty.  Initial Accepted Batch Number is the original sequence number assigned when this record was first received at RMA.  P27A * 16 Initial Accepted Date  Date/Time 21 CCYYMMDD Initial Accepted Date is the original date assigned when this record was first received at RMA.  P27A * 18 Batch Received Date  Date/Time 21 CCYYMMDD Batch Received Date is the date that the AIP file is received by RMA.  P27A * 19 Batch Number  Numeric 4 Batch Number is a sequential number assigned when an AIP file is received.  Batch Record ID is a sequential number assigned to each record in the AIP file by RMA during										• •
P27A 14 Suffix Character 10 Suffix can include the following special characters (-), (-), (-), (-), (-), (-), (-), (-),										
P27A 14 Suffix Character 10 Suffix can include the following special characters (-), (.), (), (), (), ().  P27A 15 Title Character 15 Title an include the following special characters: (-), (.), (), (), (), (), (), ().  Title can include the following special characters: (-), (.), (), (), (), (), (), ().  Title must be empty if Last Name is empty.  Initial Accepted Batch Number is the original sequence number assigned when this record was first received at RMA.  P27A * 16 Initial Accepted Date  Date/Time 21 CCYYMMDD hh:mm:ss.fff when this record was first received at RMA.  P27A * 18 Batch Received Date  Date/Time 21 CCYYMMDD hh:mm:ss.fff received Date is the original date assigned when this record was first received at RMA.  P27A * 19 Batch Number Date/Time 21 CCYYMMDD hh:mm:ss.fff received Date is the date that the AIP file is received by RMA.  P27A * 19 Batch Number Numeric 4 Batch Number is a sequential number assigned when an AIP file is received.  Batch Record ID is a sequential number assigned to each record in the AIP file by RMA during										
P27A 15 Title Character 15 Character 15 Title Chara										
Suffix must be empty if Last Name is empty.  Title can include the following special characters: (-), (.), (), ('), (.).  Title must be empty if Last Name is empty.  Title can include the following special characters: (-), (.), (.), ('), (.).  Title must be empty if Last Name is empty.  Initial Accepted Batch Number is the original sequence number assigned when this record was first received at RMA.  P27A * 17 Initial Accepted Date  Date/Time  Date/Time  Date/Time  Date/Time  Date/Time  CCYYMMDD  hh:mm:ss.fff  P27A * 18 Batch Received Date  Date/Time  Dat	P27A		14	Suffix	Character	10				
P27A * 18 Batch Received Date  Date/Time  Da										
P27A * 16 Initial Accepted Batch Number   Numeric   4										
Title must be empty if Last Name is empty.    Initial Accepted Batch Number is the original sequence number assigned when this record was first received at RMA.    P27A * 17	P27A		15	Title	Character	15				<b>5</b> .
P27A * 16 Initial Accepted Batch Number  Numeric 4 Initial Accepted Batch Number is the original sequence number assigned when this record was first received at RMA.  P27A * 17 Initial Accepted Date  Date/Time 21 CCYYMMDD hh:mm:ss.fff  when this record was first received at RMA.  P27A * 18 Batch Received Date  Date/Time 21 CCYYMMDD hh:mm:ss.fff  When this record was first received at RMA.  P27A * 19 Batch Number  Numeric 4 Batch Number is a sequential number assigned when an AIP file is received.  Batch Record ID is a sequential number assigned to each record in the AIP file by RMA during										
P27A * 16 Initial Accepted Batch Number  Numeric 4 sequence number assigned when this record was first received at RMA.  P27A * 17 Initial Accepted Date  Date/Time 21 CCYYMMDD Initial Accepted Date is the original date assigned when this record was first received at RMA.  P27A * 18 Batch Received Date  Date/Time 21 CCYYMMDD Batch Received Date is the date that the AIP file is received by RMA.  P27A * 19 Batch Number  Numeric 4 Batch Number is a sequential number assigned when an AIP file is received.  Batch Record ID is a sequential number assigned to each record in the AIP file by RMA during										, ,
First received at RMA.  P27A * 17 Initial Accepted Date  Date/Time 21 CCYYMMDD hh:mm:ss.fff when this record was first received at RMA.  P27A * 18 Batch Received Date  Date/Time 21 CCYYMMDD hh:mm:ss.fff when this record was first received at RMA.  P27A * 19 Batch Number  Numeric 4 Batch Number is a sequential number assigned when an AIP file is received.  Batch Record ID is a sequential number assigned to each record in the AIP file by RMA during	5074	Ψ.	4.6							
P27A * 17 Initial Accepted Date  Date/Time	P2/A	Τ.	16	Initial Accepted Batch Number	Numeric	4				
P27A * 17 Initial Accepted Date  Date/Time 21 hh:mm:ss.fff when this record was first received at RMA.  P27A * 18 Batch Received Date  Date/Time 21 CCYYMMDD hh:mm:ss.fff received by RMA.  P27A * 19 Batch Number  Numeric 4 Batch Number is a sequential number assigned when an AIP file is received.  Batch Record ID is a sequential number assigned to each record in the AIP file by RMA during										first received at RMA.
P27A * 18 Batch Received Date  Date/Time  Da	D274	*	47	Initial Accepted Date	Data /T:	21	CCYYMMDD			Initial Accepted Date is the original date assigned
P27A * 18 Batch Received Date  Date/Time 21 hh:mm:ss.fff received by RMA.  P27A * 19 Batch Number  Numeric 4  Batch Number is a sequential number assigned when an AIP file is received.  Batch Record ID is a sequential number assigned to each record in the AIP file by RMA during	PZ/A	•	17		Date/Time		hh:mm:ss.fff			when this record was first received at RMA.
P27A * 18 Batch Received Date  Date/Time 21 hh:mm:ss.fff received by RMA.  P27A * 19 Batch Number  Numeric 4  Batch Number is a sequential number assigned when an AIP file is received.  Batch Record ID is a sequential number assigned to each record in the AIP file by RMA during							CCYYMMDD			Batch Received Date is the date that the AIP file is
P27A * 19 Batch Number  Numeric 4  Batch Number is a sequential number assigned when an AIP file is received.  Batch Record ID is a sequential number assigned to each record in the AIP file by RMA during	P27A	*	18	Batch Received Date	Date/Time	21				
P27A * 19 Batch Number Numeric 4 when an AIP file is received.  Batch Record ID is a sequential number assigned to each record in the AIP file by RMA during										
to each record in the AIP file by RMA during	P27A	*	19	Batch Number	Numeric	4				·
to each record in the AIP file by RMA during										Batch Record ID is a sequential number assigned
I P27A * 20 Batch Record ID Numeric 15		4-	2.0	Batch Record ID	<b>.</b>	15				
· · · · · ·	P2/A	ጥ	20		Numeric					processing. Batch Record ID is unique within the
record type for the batch.										

Application Source: File Type: Delimited

File Group: Reinsurance Year: 2011

**Record Name:** Land Other Person Sharing **Version:** Approved

**Record Code:** P27A **Release Date:** 6/30/2010

Record Number	Output	<u>Field</u> Number	<u>Field Name</u>	Data Type	Max Length	<u>Format</u>	BUS Key Req?	<u>Rules</u>
P27A	*	21	Process Result Code	Character	1			Process Result Code equals the final result code as determined by PASS processing, refer to the Process Result ICE, "D00002" for values.

	Application Source: File Group: Record Name: Record Code:	Land Other P27A	Person Sha		File Type: nsurance Year: Version: Release Date:	Delimited 2011 Approved 6/30/2010
Record Number Number	<u>Field Name</u>	Data Type	<u>Max</u> <u>Length</u>	<u>Format</u>	<u>BUS</u> <u>Key</u> <u>Req?</u>	<u>Rules</u>
Record Level Rules						
						The parent Land, "P27" record must exist for the Land Other Person Sharing "P27A" record to be accepted.
						The Land, "P27" record must be unique in the batch using the following key: AIP Code, Reinsurance Year, AIP Policy Producer Key, AIP Land Key.
						Land Other Person Sharing, "P27A" records must be submitted between 20100701 and 20150212.
						The Land, "P27" record must be free of errors for the Land Other Person Sharing, "P27A" record to be accepted.